DEVILBISS®

Exclusively for Waterborne

Space Gun Series

Automotive Refinishing Spray Gun for waterborne



- O High transfer efficiency by HVLP perfects for high viscosity Waterborne
- High corrosion resistant and high durability using stainless steel for the fluid passage and trigger
- Utilizing an ultra lightweight magnesium body with (PTFE coating) result in excellent cleanability
- Side cup type suited for automotive refinishing use
- TUFRAM-treated aluminum air cap and retaining ring



Exclusively for Waterborne

- Low pressure type (HVLP=High Volume Low Pressure).
 High volume air dehydrates water in the paint, maximize transfer efficiency, and minimize nonuniformity spraying.
- ② Recyclable magnesium gun body.
- 3 The surface of gun body is coated with an eco-friendly, non-plated PTFE coating.
- 4 The air cap of LUNA Mk-II-W is TUFRAM treated for less contamination around the air cap.
- Stainless steel trigger for waterborne use.
- 6 Imports side entry gravity cup to ensure precise spraying and clear view of the coating object.
- Fluid passage is made of stainless steel.
- 8 User friendly grip-design enhances comfortableness, and perfect fitting.

Slection of Air Cap, Fluid Tip and Needle

When ordering, indicate as follows:

LUNA2 - W - WH - 1.3 - G

Fluid Tip Size
Waterborne Air Cap (HVLP)

Specifications

Model name	Atomization	Air Cap No.	Fluid Tip size (Фmm)	Туре	Pattern range (mm)	Air consumption (Nℓ/min)	Air inlet pressure (MPa)	Delivery (mℓ/min)	Weight (g)	Air inlet	Fluid inlet	Applications
LUNA2-W	HVLP	WH	1.3	G(Gravity)	230	220	0.20	140	267	G1/4	G1/4	waterborne paints

Accessories

- HAV-501-B Air Valve (with gauge)
- HAV-503-B Air Valve (with gauge)

- HAF-507 Air Filter
- SSL-10 Gun Lube (60cc)
- *For improvement purpose, Design & Specifcations may change without prior notice.

Devilbiss

RANSBURG INDUSTRIAL FINISHING K.K

15-5, Fukuura 1-chome, Kanazawa-ku, Yokohama, Kanagawa Japan 〒236-0004 TEL: +81-45-785-6434 / FAX: +81-45-785-6517

HP http://www.carlisleft.co.jp

For more information, please contact: