

# MS topcoater speedy

## Efficiency and Reliability in Powder Coating Technology



- ◆ Automatic cleaning system with injector rod, allows for color change in 60 seconds
- ◆ Sturdy trolley with vibrating table
- ◆ Ultralight M4 powder spray gun (388g) reduces operator fatigue
- ◆ Patented corona feedback system ensures high-quality coatings without the need for additional accessories
- ◆ Balanced and ergonomic gun design
- ◆ Wide range of multifunctional nozzle systems for fine spray patterns and uniform coating thicknesses, even with metallic coating powders
- ◆ Touchscreen with intuitive controls and display
- ◆ Powder feed with automatic metering

### MS topcoater speedy Features

Latest digital high-voltage technology 0–100 kV / 1–100  $\mu$ A  
 Easy storage of up to 96 programs  
 Preloaded standard programs for first coat, re-coat, metallic powder and complex part geometry  
 Diagnostic functions for cascade and control device  
 ATEX compliant



# MS topcoater speedy

## MS topcoater speedy 1

Specifications	
Dimensions	(W) 600 × (H) 700 × (D) 1170 mm
Weight	50kg



## MS topcoat M4 Manual Powder Gun

Specifications	
Weight	388g
Length	350mm
Output Voltage	100 kV
Polarity	Negative
Protection rating	IP 64
Powder Output	450g/min (max.)



## MS topcase S4 Controller

Specifications	
Weight	4.1kg
Power supply	AC 100 - 240 V / 50 - 60 Hz
Input air pressure	0.6 ~ 0.8 MPa
Dimensions	(W) 200×(H) 120×(D) 280 mm
Protection rating	IP 64
Charging Technology	Corona



## MS topcoat series 4 Options



topcoater speedy 2



MS topcoat M4 Cup



MS topcase S4  
for Corona/Tribo

**ms® Ransburg DIVISION**  
**CFT Ransburg Japan KK**

15-5, Fukuura 1-chome, Kanazawa-ku, Yokohama, Kanagawa Japan 236-0004  
TEL : +81-45-785-6421 / FAX : +81-45-785-6517

<http://www.carlisleft.co.jp/>

©MS and Ransburg are a registered trademark of Carlisle Fluid Technologies.

For more information, please contact: